



amersé™
SPA CARE

Calcium Increaser

PROBLEM SOLVER

Establishes the Proper
Water Hardness to Avoid
Corrosion of Equipment
and Spa Surfaces

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements.

Net Weight: 16 Ounces

Water hardness describes the total amount of calcium in spa water. **Calcium Increaser** brings water hardness into the proper range. Low hardness can result in corrosion of equipment and spa surfaces, and permanent wrinkling to a vinyl liner. The ideal hardness level is 150-400 parts per million (ppm).

**DIRECTIONS FOR USE:
SHAKE WELL**

1. Test water hardness.
2. If calcium level is too low, with jets on add 1/2 oz. of **Calcium Increaser** per 250 gallons of water. This amount will raise the hardness of your water 7 ppm.
3. Run jets continuously for 30 minutes and retest water. If hardness is not in the proper range, repeat above until in the desired range.

SPA SIZE	INCREASE IN PPM REQUIRED			
	7 PPM	14 PPM	21 PPM	28 PPM
250 gallons	1/2 oz.	1 oz.	1-1/2 oz.	2 oz.
500 gallons	1 oz.	2 oz.	3 oz.	4 oz.
1000 gallons	2 oz.	4 oz.	6 oz.	8 oz.

CAUTION:

Contains calcium chloride. Skin and eye irritant. Harmful if swallowed. Avoid prolonged contact with skin.

FIRST AID:

IF SWALLOWED: Call poison control center or doctor immediately. If conscious, immediately give 2 to 4 glasses of water, and do not induce vomiting unless told to do by poison control.

EYE CONTACT: Hold eye open and rinse gently with cool water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

SKIN CONTACT: Wash with soap and water. See physician if irritation occurs.

KEEP OUT OF REACH OF CHILDREN

2390
Item # 171-015512S12
997-X80312G01 Rev. No. 0715
Distributed by ESSENTIALS
5070 Wallace Drive • Cumming, GA 30041
www.Essentials-SpaSupplies.com



Each Mark Denotes 1 Ounce